

Scope of Accreditation For McCANN Equipment LTD

1489 Dublin Avenue
Winnipeg, Manitoba R3E 3G8 Canada
Daniel M. McCann
204-774-2277

In recognition of a successful assessment to ISO/IEC 17025:2005, and ANSI Z540-1 accreditation is granted to **McCANN Equipment LTD** to perform the following **Calibrations**:

Accreditation granted through: **June 29, 2010**


Calibration

Mass – Torque

Calibration Parameter/Equipment ¹	Range	Best Measurement Capability(+/-) ²	Remarks
Hand Torque Wrenches and Torque Limiting Screwdrivers	4 ozf·in to 2000 lbf·ft 2.8 cNm to 2712 Nm	0.48% of applied load	ISO 6789
Pneumatic Torque Wrenches	0.4 lbf·in to 5000 lbf·ft 0.04 cNm to 6780 Nm	1.52% of applied load	Electronic transducer and display unit per McCANN procedures
Hydraulic Torque Wrenches	127 lbf·ft to 5000 lbf·ft 172 Nm to 6780 Nm	1.17% of applied load	Electronic transducer and display unit per McCANN procedures
Electronic Torque Wrenches	4 ozf·in to 2000 lbf·ft 2.8 cNm to 2712 Nm	0.6% of applied load	Electronic transducer and display unit per McCANN procedures
Hand Torque Multipliers	127 lbf·ft to 5000 lbf·ft 172 Nm to 6780 Nm	0.59% of applied load	Electronic transducer and display unit per McCANN procedures

Notes:

- 1) Laboratory offers calibration services at the laboratory's own facilities and at the client or other agreed upon facilities.
- 2) Best uncertainties represent expanded uncertainties at approximately the 95% confidence level using a coverage factor of k=2.

Approved by:  Date: May 27, 2008
R. Douglas Leonard
Chief Technical Officer

Re-Issued: 6/15/07 Revised: 5/27/08